

SAP.C_SACP_2215.v2023-11-18.q42

試験コード:	C_SACP_2215
試験名称:	Certified Application Associate - SAP Analytics Cloud: Planning
認定資格:	SAP
無料問題数:	42
バージョン:	v2023-11-18
アクセス数:	460
ページビュー数:	420
https://www.jpnpdf.com/SAP.C_SACP_2215.v2023-11-18.q42-mondaishu.html	

最新問題: 1

現地通貨の値のみを含む新しいモデルがあります。新しいモデルをストーリーで使用する場合は、データベースに保存されていない、モデルで構成されたグループ通貨値が必要です。要件を満たすために、新しいモデルにはどのような対策を盛り込みますか？

- A. 制限あり
- B. 計算値
- C. 変換済み

Answer: C ([メッセージを残す](#))

最新問題: 2

You have compared the data version options in stories vs. SAP Analysis, Edition for Microsoft Office. What did you discover?

- A. Private versions are available in stories only
- B. Sharing private versions is available only in stories
- C. The data version options are the same

Answer: C ([メッセージを残す](#))

最新問題: 3

When you import data into a classic planning model, what can you do with category and version in data management? Note: There are 3 correct answers to this question.

- A. Create a new Public Version
- B. Use an existing Version
- C. Create a new Category
- D. Create a new Private Version
- E. Use an existing category

Answer: A,D,E ([メッセージを残す](#))

最新問題: 4

How can you configure a currency conversion measure in a New Model?

- A. Hard code a Category
- B. Dynamically determine a unit type
- C. Hard code a unit type

Answer: ([解答を表示する](#))

最新問題: 5

SAP Analytics Cloud から SAP S/4HANA にエクスポートできるデータは何ですか? 注: この質問には正解が 2 つあります。

- A. 階層
- B. アクティビティ料金
- C. マスターデータ属性
- D. 統計キー数値

Answer: B,D ([メッセージを残す](#))

最新問題: 6

When you import data into a planning model, what can you do with category and version in data management? Note: There are 3 correct answers to this question.

- A. Create a new private version.
- B. Use an existing version.
- C. Create a new public version.
- D. Use an existing category.
- E. Create a new category.

Answer: A,B,D ([メッセージを残す](#))

最新問題: 7

Which of the following actions on the date dimension are available in Value Driver Trees?

Note: There are 2 correct answers to this question.

- A. Select the Day granularity
- B. Change the date filter for an individual node within the Value Driver Tree
- C. Change the date filter for the entire Value Driver Tree
- D. Specify a presentation date range

Answer: ([解答を表示する](#))

最新問題: 8

You have a planning model with the following dimensions: Cost Center, Account, Date, Version. When you add new transactional data to your model, you want to add new data for cost center A and remove any records for cost center B. Which import method do you use?

- A. Update

B. Clean and replace selected version data

C. Append

Answer: B ([メッセージを残す](#))

最新問題: 9

実行時に次のディメンションのソース値とターゲット値を選択できるデータのコピーアクションを作成したいと考えています。バージョン。アカウント。時間。これらの各次元には何を指定しますか？

A. フィルター内のソース バージョン パラメーター。コピー ルールのアカウントと時間のソース パラメータとターゲット パラメータ

B. フィルター内のバージョン、アカウント、時間のソース パラメーターとターゲット パラメーター。コピールールなし

C. フィルターなし。コピー ルールのバージョン、アカウント、時間のソース パラメータとターゲット パラメータ

D. フィルター内のバージョンのソースおよびターゲットのパラメーター。コピー ルールのバージョンと時刻のソース パラメータとターゲット パラメータ

Answer: A ([メッセージを残す](#))

最新問題: 10

You need to schedule the import master data for the profit center, cost center, account dimensions as well as the transaction data. Each dimension has members, text, attributes and a hierarchy. When importing from SAP Business Warehouse. How many import steps do you need?

A. 4

B. 10

C. 13

Answer: ([解答を表示する](#))

最新問題: 11

In a story, how can you create a chart to compare versions? Note: There are 2 correct answers to this question.

A. Add a new member with a formula.

B. Add a recommended comparison.

C. Add a chart component.

D. Add a difference from measure.

Answer: B,C ([メッセージを残す](#))

最新問題: 12

Which of the following properties does a CommentInfo object in an analytical contain?

Note: There are 3 correct answers to this question

- A. The comment technical ID
- B. The comment Length
- C. The number of likes
- D. The change history
- E. The comment text

Answer: ([解答を表示する](#))

最新問題: 13

Which DataStore object (advanced) properties must be selected to export data to SAP Business Warehouse? Note: There are 2 correct answers to this question.

- A. Write Change Log
- B. Direct Update Datastore Object
- C. Standard Datastore Object
- D. Write interface enabled

Answer: C,D ([メッセージを残す](#))

最新問題: 14

When you import group reporting data from SAP S/4HANA to an SAP Analytics Cloud planning model, which mappings are required? Note: There are 2 correct answers to this question.

- A. Financial statement item to an SAP Analytics Cloud account
- B. Company to an SAP Analytics Cloud entity
- C. General ledger account to an SAP Analytics Cloud account
- D. Consolidation unit to an SAP Analytics Cloud entity

Answer: A,D ([メッセージを残す](#))

最新問題: 15

Which hierarchy types are supported in an SAP Analytics Cloud dimension?

- A. Time Dependant
- B. Version Dependant
- C. Level based
- D. Story Specific

Answer: C ([メッセージを残す](#))

最新問題: 16

When you import account hierarchy data from SAP S/4HANA, which of the following account types are determined by semantic tags exclusively? Note: There are 2 correct answers to this question.

- A. INC
- B. EXP
- C. AST

D. LEQ

Answer: C,D ([メッセージを残す](#))

有効な **C_SACP_2215** 問題集は GoShiken.com が提供された合格しやすい C_SACP_2215 試験問題集！ GoShiken.com が最新の **C_SACP_2215** 試験問題集を提供しています。GoShiken.com C_SACP_2215 試験問題は最新で、解答が正確でございます。最新の GoShiken.com C_SACP_2215 問題集をゲットする人はこちら:

https://www.goshiken.com/SAP/C_SACP_2215-mondaishu.html (**12330%OFF**問題集溶と正解付きで **30%w** 特別割引コード: **Freepdfdumps**)

最新問題: 17

You want to import group reporting data to an SAP Analytics Cloud planning model. What source table must you use?

- A. ACDOCU
- B. ACDOCC
- C. ACDOCP
- D. ACDOCA

Answer: A ([メッセージを残す](#))

最新問題: 18

Which of the following are features of an Embedded Data Action step? Note: There are 2 correct answers to this question

- A. Nest data actions
- B. Combine data actions of different models
- C. Link parameters of data actions
- D. Create cyclical references of data actions

Answer: A,D ([メッセージを残す](#))

最新問題: 19

When you delete a planning model, what dimension types are always deleted? Note: There are 2 correct answers to this question.

- A. Organization
- B. Version
- C. Time
- D. Account

Answer: A,D ([メッセージを残す](#))

最新問題: 20

Your account dimension has an account for Profit that is calculated as [Revenue] - [Cost]. Which formula can you use to enter a value for Profit and have the system re-calculate Cost while Revenue remains constant?

- A. [Revenue] - [Cost] | INVERSE ([Cost] := [Revenue] -[Profit])
- B. [Revenue] - [Cost] | INVERSE ([Cost] = [Revenue] -[Profit])
- C. [Revenue] - [Cost] := INVERSE ([Cost] = [Revenue] -[Profit])
- D. [Revenue] - [Cost] := (INVERSE [Cost] := [Revenue] -[Profit])

Answer: ([解答を表示する](#))

最新問題: 21

What can you use to restrict input in a story based on nested conditions?

- A. Data Locking
- B. Advance Filtering
- C. Validation Rules

Answer: B ([メッセージを残す](#))

最新問題: 22

SAP Business Warehouse のデータ ストア オブジェクト (詳細) にトランザクション データをエクスポートするための前提条件は次のうちどれですか? 注: この質問には正解が 2 つあります。

- A. RSBPC_ODATA_V_EX
- B. エンハンスメントスポット RSBPC_ODATA
- C. メンテナンスビュー
- D. OData 接続
- E. SAP Business Warehouse 接続

Answer: ([解答を表示する](#))

最新問題: 23

既存の計画モデルで変更できない通貨関連の設定はどれですか?

- A. 通貨次元
- B. デフォルトの通貨
- C. 通貨テーブル
- D. 日付次元

Answer: ([解答を表示する](#))

最新問題: 24

In the delivered content for collaborative enterprise planning, where do the sales volumes come from?

- A. SAP S/4HANA Sales
- B. SAP Business Planning and Consolidation
- C. SAP Integrated Business Planning

Answer: C ([メッセージを残す](#))

最新問題: 25

For which of the following are value driver trees available? Note: There are 2 correct answers to this question

- A. Live models
- B. Analytic models
- C. Datasets
- D. Planning models

Answer: ([解答を表示する](#))

最新問題: 26

SAP Analytics Cloud 計画モデルの作成に使用できるものは次のうちどれですか? 注: この質問には正解が 3 つあります。

- A. 分析的
- B. データソース
- C. ストーリー
- D. アプリケーション
- E. モデル

Answer: B,D,E ([メッセージを残す](#))

最新問題: 27

Which of the following actions would allow you to use data point comments? Note: There are 2 correct answers to this question.

- A. Activate comments by model
- B. Add a comment widget to the story
- C. Activate comments by dimension
- D. Insert a calculated column to a table

Answer: ([解答を表示する](#))

最新問題: 28

What must you do to create a seasonal time hierarchy? Note: There are 2 correct answers to this question.

- A. Add a member
- B. Set date to user-managed
- C. Set date to system-managed
- D. Add a property

Answer: ([解答を表示する](#))

最新問題: 29

In an analytic application you want to use a data action trigger. Your customer complains that the data action trigger pushbutton is too large. How can you address this complaint?

- A. Resize the data action trigger in the builder pane
- B. Add a cascading style sheet to the data action trigger
- C. Use a button to run a data action

Answer: C ([メッセージを残す](#))

最新問題: 30

In a story: you are using a planning model with currency translation enabled. Which properties in the cross calculation editor do you have when configuring currency conversion?

Note: There are 2 correct answers to this question.

- A. Category
- B. Rate version
- C. Exchange rate
- D. Rate type

Answer: A,C ([メッセージを残す](#))

最新問題: 31

Where can you enter data into an SAP Analytics Cloud model? Note: There are 2 correct answers to this question.

- A. In the SAP HANA studio
- B. In the SAP Analytics Cloud mobile app
- C. In a story
- D. In an analytic application

Answer: C,D ([メッセージを残す](#))

有効な **C_SACP_2215** 問題集は GoShiken.com が提供された合格しやすい C_SACP_2215 試験問題集！ GoShiken.com が最新の **C_SACP_2215** 試験問題集を提供しています。GoShiken.com C_SACP_2215 試験問題は最新で、解答が正確でございます。最新の GoShiken.com C_SACP_2215 問題集をゲットする人はこちら：
https://www.goshiken.com/SAP/C_SACP_2215-mondaishu.html (**12330%OFF**問題集溶と正解付きで **30%w** 特別割引コード: **Freepdfdumps**)

最新問題: 32

When you enable currency translation for a planning model with an account dimension which object is added to the model automatically?

- A. Currency dimension
- B. Currency property

C. Rate type property

Answer: [\(解答を表示する\)](#)

最新問題: 33

What does SAP recommend you do to improve the performance of advanced formulas?

- A. DATA 関数の数を最大化します。
- B. Minimise the number of MEMBERSET statements.
- C. RESULTLOOKUP の数を最大化します。
- D. LOOP 命令の使用を最小限に抑えます。

Answer: D ([メッセージを残す](#))

最新問題: 34

Which of the following SAP Business Warehouse variable types can be used when importing data to SAP Analytics Cloud? Note: There are 2 correct answers to this question.

- A. Hierarchy nodes
- B. Customer exits
- C. SAP exits
- D. Single values

Answer: A,D ([メッセージを残す](#))

最新問題: 35

Which planning version type can you share with a co-worker from within a story?

- A. Public
- B. Private
- C. Plan

Answer: B ([メッセージを残す](#))

最新問題: 36

SAP S/4HANA から現地通貨、グループ通貨、数量値を含む財務データを取得します。データを SAP Analytics Cloud にインポートする必要があります。SAP のベスト プラクティスガイドラインに従って、新しいモデルをどのように設計しますか？

- A. 1 つのメジャーと少なくとも 3 つのアカウント
- B. 3 つの対策とアカウントなし
- C. 3 つのメジャーと少なくとも 1 つのアカウント

Answer: C ([メッセージを残す](#))

最新問題: 37

Which data locking status can you use to prevent manual data entry?

- A. Restricted
- B. Released

C. Submitted

D. Closed

Answer: A ([メッセージを残す](#))

最新問題: 38

You have an SAP Business Warehouse data source with 25 key figures and no account characteristic. What must you do to import this data into an existing new type of planning model? Note: There are 2 correct answers to this question.

A. Include 25 measures in the planning model.

B. Map the key figures to the measures during the import.

C. Map the key figures to accounts during the import.

D. Include 25 accounts in the planning model.

Answer: ([解答を表示する](#))

最新問題: 39

Which SAP Analytics Cloud Machine Learning function provides performance indicators that can be used to evaluate the accuracy of a statistical model?

A. Smart Grouping

B. Smart Predict

C. Smart Discovery

D. Smart Insights

Answer: ([解答を表示する](#))

最新問題: 40

You are importing from SAP S/4HANA into a planning model with pre- converted actuals turned on. What mappings are required to import both local and default currency?

A. Two Currencies

B. Two Accounts

C. Two Measures

D. Two Account Types

Answer: C ([メッセージを残す](#))

最新問題: 41

What master data can you update during the import of transaction data into an SAP Analytics Cloud planning model with private and public dimensions?

A. Hierarchies for public dimensions

B. Property values for private dimensions

C. Property values for public dimensions

Answer: ([解答を表示する](#))

最新問題: 42

Which scenarios can you implement using SAP Analytics Cloud advanced formulas? Note:
There are 2 correct answers to this question.

- A. Forecast HR turnover rates using machine learning.
- B. Calculate depreciation.
- C. Eliminate inter company transactions in real-time.
- D. Aggregate dimension members.

Answer: B,D ([メッセージを残す](#))

Valid C_SACP_2215 Dumps shared by GoShiken.com for Helping Passing C_SACP_2215 Exam! GoShiken.com now offer the **newest C_SACP_2215 exam dumps**, the GoShiken.com C_SACP_2215 exam **questions have been updated** and **answers have been corrected** get the **newest** GoShiken.com C_SACP_2215 dumps with Test Engine here: https://www.goshiken.com/SAP/C_SACP_2215-mondaishu.html (123 Q&As Dumps, **30%OFF** Special Discount: **Freepdfdumps**)